STATUTORY CHECKLIST [§58.35(a) activities]

for Categorical Exclusions and Environmental Assessments

Note: Review of the items on this checklist is required for both Categorical Exclusions under Sec. 58.35(a) and projects requiring an Environmental Assessment under Sec. 58.36. If no compliance with any of the items is required, a Categorical Exclusion [58.35(a)] may become "exempt" under the provisions of Sec. 58.34 (a) (12). In such cases attach the completed Statutory Checklist to a written determination of the exemption. Projects requiring an Environmental Assessment under Sec. 58.36 cannot be determined to be exempt even if no compliance with Statutory Checklist items is found. Three items listed at Sec. 58.6 are applicable to all projects, including those determined to be exempt.

Project Name and Identification No. 51 Beckett Avenue, Branford, CT

Site No. #1034

Area of Statutory or Regulatory Compliance	Not Applicable to This Project	Consultation Required*	Review Required*	Permits Required*	Determination of consistency Approvals, Permits Obtained	Conditions and/or Mitigation Actions Required	Provide compliance documentation. Additional material may be attached.			
Document Laws and authorities listed at 24 CFR Sec. 58.5										
Historic Properties [58.5(a)] [Section 106 of NHPA]	\boxtimes						Dwelling was built less than 50 years ago.			
2. Flood Management [58.5(b)] [Ex Or 11988] [24 CFR 55]							Site is located in a flood zone based on FEMA Map 09009C0463J dated July 8, 2013 (see attached map).			
3. Wetland Protection [58.5 (b)]	\boxtimes						Site does not contain mapped inland wetlands based on "Connecticut Inland Wetland Soils – Branford, CT," Map dated October 2009. Triton did not review the Inland Wetlands and Watercourses Map for Branford. (See attached map)			
Coastal Zone Management [58.5(c)]							Site is located within the Coastal Boundary. Source: "Coastal Boundary – Branford, CT," January 2013. (See attached map)			
5. Water Quality – Aquifers [58.5(d)] [40 CFR 149]	\boxtimes						Project does not involve on-site water and sewer facilities, nor is it in a sole source aquifer zone. (See attached map)			
6. Endangered Species [58.5(e)] [16 U.S.C. 1531 et seq.]		\boxtimes					Fish and Wildlife Service indicates that there are two threatened, endangered, or candidate species at the site. (See attached letter) The Roseate tern and Red knot were identified within the work area. FWS consulted and the project will have no adverse effect on either population. Project appears to be located on a waterfront with sandy beaches. (See Figure 1). Consultation with DEEP required.			
7. Wild and Scenic Rivers [58.5 (f)] [16 U.S.C. 1531 et seq.]	\boxtimes						Project is not proximal to any listed National Wild and Scenic Rivers.			
8. Air Quality [58.5(g)] [42 U.S.C. 7401 et seq.]	\boxtimes						Project is solely residential rehabilitation with no identifiable increase in air pollution.			
9. Farmland Protection [58.5(h)]	\boxtimes						Project does not involve modifications to the existing structure footprint. Project is not located on "Farmland Soils – Branford, CT" map prepared by CT DEEP, April 2011. (See attached map)			
Manmade Hazards 10 A. Thermal Explosive [58.5(i)]							Project does not add density to development.			

Area of Statutory or Regulatory Compliance	1	NOT Applicable to This Project	Consultation Required*		Keview Required*	Permits Required*	Determination of consistency Approvals, Permits Obtained	Conditions and/or Mitigation	Provide compliance documentation. Additional material may be attached.			
Document Laws and authorities listed at 24 CFR Sec. 58.5												
10 B. Noise [58.5(i)]	Ø								Project will restore the structure to substantially as it existed prior to storm.			
10 C. Airport Clear Zones [58.5 (i)]		3] [The property is not located with 3,000 feet of a civil airport or 15,000 feet of a military airfield.			
10 D. Toxic Sites [58.5 (i)(2)(i)]]							The site 1) is not listed on EPA Superfund National Priorities or CERCLA List or equivalent State list, 2) is not located within 3,000 feet of a toxic or solid waste landfill, 3) does not have an underground storage tank (which is not a residential fuel tank) and 4) is not known or suspected to be contaminated by toxic chemicals or radioactive materials.			
11. Environmental Justice [58.5(j)]] [Project does not anticipate high & adverse human health and environmental effects on minority or low-income populations; if required mitigation or avoidance of impacts will be considered.			
Document Laws and authorities listed at Sec. 58.6 and other potential environmental concerns												
12 A. Flood Insurance [58.6(a) & (b)]		Þ							Site is located in a flood zone based on FEMA Map 09009C0463J dated July 8, 2013. (See attached map). Owner may be required to obtain flood insurance and maintain for a five year period as prerequisite for receiving assistance.			
12 B. Coastal Barriers [58.6(c)]]] [$\exists $	No coastal barrier resources system (CBRS) areas mapped at the site or immediate vicinity			
12 C. Airport Clear Zone Notification [58.6(d)]	\boxtimes]						The property is not located with 3,000 feet of a civil airport or 15,000 feet of a military airfield. The project does not involve the purchase or sale of an existing structure in an airport clear zone.			
13 A. Solid Waste Disposal [42 Ü.S.C. S3251 et seq.] and [42 U.S.C. 6901-6987 et seq.]	\boxtimes]]	Site is serviced by municipal solid waste disposal and project activities are not expected to affect capacities of waste disposal services.			
13 B. Fish and Wildlife [U.S.C. 661-666c]	\boxtimes	Г]]	J					Program activities will not result in impounding, diverting, deepening, channelizing or modification of any stream or body of water; not a water control project.			
13 C. Lead-Based Paint [24 CFR Part 35] and [40 CFR 745.80 Subpart E]	\boxtimes] []	Lead greater than 0.5% by weight not detected on painted surfaces within the work zone.			
13 D. Asbestos	\boxtimes	E] []	Asbestos greater than 1% chrysotile not identified in the work zone.			
13 E. Radon [50.3 (i) 1]	\boxtimes]	Lowest livable level of building will be separated from the ground by an open air space. Radon sampling not completed.			
13 F. Mold	\boxtimes								Mold not identified in work zone.			
Other: State and Local 14 A. Flood Management Certification [CGS 25-68]		\boxtimes							Site is located in a flood zone based on FEMA Map 09009C0463J dated July 8, 2013 (see attached map).			

Area of Statutory or Regulatory	T -	$\tau -$, 	7	T			
Compliance	oject	to to			ency	fign	Provide compliance documentation. Additional material may be attached.	
	Not Applicable to This Project.	Consultation Required*	uired	uired*	Determination of consistency Approvals, Permits Obtained	Conditions and/or Mitigation Actions Required		
	Die to	Iffon R	Review Required	Permits Required*	on of c	and/or		
	pplica	onsulta	Revie	Permi	minati ovals,	Action		
	Not A	ō			Dete	Son		
14 B. Structures, Dredging & Fill Act	\boxtimes		 	Г		П	Project is not located waterward of coastal jurisdiction line (CJI.).	
[CGS 22a-359 to 22a-363f]							Project not subject to permitting through DEEP Office of Long Island Sound Program (OLISP).	
[CGS 22a-28 to 22a-35]	\boxtimes						No tidal wetlands mapped at the site. (See attached map)	
14 D. Local inland wetlands/watercourses [CGS 22a042]	\boxtimes						Site does not contain mapped inland wetlands based on "Connecticut Inland Wetland Soils - Branford, CT," Map dated October 2009. Triton did not review the Inland Wetlands and Watercourses Map for Branford. (See attached map)	
14 E. Various Municipal Zoning Approvals		\boxtimes					Zoning approvals may be needed for coastal area management.	
DETERMINATION: This project converts to Exempt, per §58.349(a)(12) because it does not require any mitigation for compliance with any listed statutes or authorities, nor requires any formal permit or license. Funds may be drawn down for this (now) EXEMPT project; OR								
☐ This project cannot convert to Exempt because one or more statutes/authorities requires consultation or mitigation. Complete consultation/mitigation requirements, publish NOI/RROF and obtain Authority to Use Grant Funds (HUD 7015.16) per §58.70 and 58.71 before drawing down funds; OR								
The unusual circumstances of this project may result in a significant environmental impact. This project requires preparation of an Environmental Assessment (EA). Prepare the EA according to 24 CFR Part 58 Subpart E.								
Prepared By:								
Paril Vaclor						ع	3/21/15	
Name					D	ate		
Responsible Entity or Designee Sig	ınature	:						
Olleloni						8/:	4/2015	
Name					Da	te		